



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

09/437,815

11/10/1999

Jeffrey P. Bezos

249768014US

8505

25096

7590

05/22/2006

PERKINS COIE LLP

PATENT-SEA

P.O. BOX 1247

SEATTLE, WA 98111-1247

EXAMINER

CARLSON, JEFFREY D

ART UNIT

PAPER NUMBER

3622

DATE MAILED: 05/22/2006

Please find below and/or attached an Office communication concerning this application or proceeding.


Response to Reply Brief

The reply brief filed 2/21/06 has been entered and considered. The application has been forwarded to the Board of Patent Appeals and Interferences for decision on the appeal.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jeffrey D. Carlson whose telephone number is 571-272-6716. The examiner can normally be reached on Mon-Fri 8a-5:30p, (off on alternate Fridays).

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Eric Stamber can be reached on (571)272-6724. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).


Jeffrey D. Carlson
Primary Examiner